Proposed Rule 1430 Control of Toxic Emissions from Grinding Operations at Forging Facilities

Working Group Meeting #2
September 14, 2016

1

Background

- First Working Group Meeting October 2015
- Since first Working Group Meeting staff:
 - Further investigated potential affected sources
 - Conducted site visits gathered additional information
 - Reviewed ambient monitoring data near Carlton Forge Works in Paramount
- Rulemaking temporarily paused to allow SCAQMD staff to communicate findings from ambient monitoring data to community (hexavalent chromium)
 - August 23, 2016 SCAQMD staff hosted a second Town Hall Meeting in the City of Paramount to discuss ambient monitoring results

Efforts that Lead to Ambient Monitoring in Paramount



Beginning 2012, SCAQMD began receiving a series of burnt metallic odor complaints - a number of complaints focused on Carlton Forge Works (CFW)



May 2013 - Glass plate sampling at and near CFW confirmed fugitive metal particulate emissions



August 2013 - SCAQMD begins ambient air monitoring near CFW



September 2013 - CFW began voluntarily implementing measures to reduce fugitive emissions from their grinding operations





January 2014 - SCAQMD hosts a town hall meeting to report initial monitoring results

=


Background on Paramount Ambient Air Monitoring

- Ambient air monitoring at two sites in Paramount community since August 2013
 - Site #2 (Vermont Ave.)
 - Site #3 (California Ave.)
 - Site #1 (Site discontinued due to access issues)
- Initial monitoring identified Nickel and Hexavalent Chromium as two key toxic metals of concern
 - Nickel (primary health effects non-cancer)
 - Hexavalent Chromium (primary health effects cancer)
- Monitoring results for the two metals were compared to:
 - Background levels from the Multiple Air Toxics Exposure Study (MATES IV)
 - Other health thresholds (discussed in next slides)






Nickel Ambient Air Monitoring Results-Actual Sample Data







September 2013

Increased baghouse airflow by 35% for improved collection efficiency

October 2013

Installed plastic strip curtains on all building overhead doors

October 2013

Placed
grind shop
work
tables
closer to
baghouse
exhaust

November 2013


Sealed grind shop roof to provide a Permanent Total Enclosure

December 2013

Enhanced housekeeping measures such as routine sweeping Spring 2015

Installed HEPA filters on baghouse


Results of Nickel Ambient Air Monitoring-Annual Average Data




Hexavalent Chromium - Ambient Air Monitoring

- Initial monitoring identified Hexavalent Chromium as a toxic metal of concern in addition to Nickel
- Ambient air monitoring results show elevated Hexavalent Chromium at Site #2 (Vermont Ave)
- Determining if Hexavalent Chromium is related to forging operation or other source(s)
- SCAQMD staff continuing air monitoring efforts, with an expanded focus on identifying and controlling source(s) of Hexavalent Chromium

Results of Hexavalent Chromium Ambient Air Monitoring (Concentration)*





11

Potential Health Risks Based on Monitoring Data

- Potential cancer risk from long-term exposure to Nickel and Hexavalent Chromium:
 - Site #2 (Vermont Ave.): 176 in-one-million
 - Site #3 (California Ave.): 74 in-one-million
 - Hexavalent Chromium ~95% of cancer risk
- Potential non-cancer risk from long-term exposure to Nickel:
 - Site #2 (Vermont Ave.): levels have dropped since 2013, but still above REL
 - Site #3 (California Ave.): levels well below REL
 - Hexavalent Chromium non-cancer risks well below thresholds

Summary of Monitoring Results for Nickel

- Site #2 (Vermont Ave.)
 - Beginning 2014 Nickel levels near REL
 - 2014 Nickel reductions consistent with 2013 voluntary measures implemented at CFW
 - Demonstrates efficacy of measures to reduce nickel emissions from grinding operation
- Site #3 (California Ave.)
 - Near expected background levels in 2014 and 2015, but higher in 2016


13

Summary of Monitoring Results for Hexavalent Chromium

- Site #2 (Vermont Ave.)
 - Estimated cancer risk is of concern (Hexavalent Chromium contributes to 95% of cancer risk) - up to 4 times higher than expected background levels
 - Additional sampling needed to identify Hexavalent Chromium source(s)
 - Expanded ambient air monitoring focused on Hexavalent Chromium source(s) in progress
 - Sampling results may require expanding scope of PR 1430 or additional rulemaking activities
- Site #3 (California Ave.)
 - Near expected background levels in 2014 and 2015, but higher in 2016


Glass Plate Sampling

- 2013/2014 deployed glass plate samples at Carlton Forge Works Press Forge, Weber Metals, and Schlosser Forge:
 - Results showed elevated levels of metals near grinding operations
- Comparison of 2013 and 2014 glass plate samples at Carlton Forge Works showed a decrease in metal particulate further demonstrating efficacy of voluntary emission reduction measures for grinding operation




15

2014 Total PM Glass Plate Sample Results Near Grinding



Conclusions from Ambient Monitoring and Glass Plate Samples

- Ambient monitoring and glass plate sampling showed nickel decreased with improvements of point source controls, enclosure, and housekeeping of grinding operations
- Glass plate samples at other forging facilities showed higher concentrations of total PM than Carlton Forge
- Additional monitoring is needed to identify the source of hexavalent chromium from the monitor near Carlton Forge



Update on Site Visits

Since 1st Working Group Meeting Rule staff has visited 8 additional forging facilities for a total of 21 site visits

	Facilities Visited	
Foot Axle & Forge Company	Schlosser Forge Facility	Shultz Steel
Carlton Forge Works	Pacific Forge Inc	Weber Metals
Quality Aluminum Forge, LLC	• Press Forge Co	Firth Rixson
California Drop Forge	Continental Forge	Ajax Forge
Aluminum Precision Products Inc.	California Amforge Corp.	Valley Forge Acquisition
American Handforge	Chen Tech Industries	Performance Forged Products
Sierra Alloys Co.	Mattco Forge Inc.	MS Aerospace
, , , , , ,		

Site Visit Findings

Findings	Number of Facilities*
Facilities Visited	
Grinding	
Dry Grinding Operations	21
Wet Grinding Operations	2
Sawing	
Dry Cutting Operations	2
Wet Cutting Operations	19
Containment Structures for Grinding	
Grinding Operations within a Total Enclosure	2
Grinding Operations within a Partial Enclosure (3 Walls)	15
Grinding Operations Conducted Outside an Enclosure	4


^{*} Some facilities have multiple types of operations

Focus of Site Visits

- Observations focused on dry grinding operations
 - Billet grinding
 - Swing grinding
 - Utility grinding
 - Large and small hand grinding
- Observed point and fugitive control approaches
- Did not focus on wet cutting and grinding operations
 - fugitive emissions controlled at the site

21

Control Approaches for Dry Grinding Operations



Point Source Controls for Metal Particulate

- Metal particulate vented to a collection or filtration device
- Examples of point source controls includes baghouse with or without HEPA filtration, collection device to cyclone

Containment of Fugitive Emissions (Enclosure)

- Physical structure that contains metal particulate
- Examples of enclosures can be partial enclosure, total enclosure, or total enclosure vented to pollution controls


Housekeeping Measures

- Measures to reduce the accumulation of metal particulate that can be re-entrained
- Examples of housekeeping measures include sweeping, roof washing, covering containers with metal particulate

!2


General Observations of Point Source Controls


- Most facilities are operating air pollution controls without a SCAQMD permit (permit not required)
 - Only two facilities have gone through the SCAQMD permitting process
- Baghouses are the primary air pollution control device
 - Concern for proper ventilation, operation, and maintenance of pollution controls
- Greatest concern is for facilities conducting grinding operations with no pollution controls



2 3


Metal Grinding-Billet Grinders





- Traveling grinders designed to prepare large billets prior to forging
- 2 facilities with billet grinding operations (total of five billet grinders)
- Point source control
 - All billet grinders vented to baghouse without HEPA filters

Metal Grinding-Swing Grinders







- Rugged, heavy-duty grinder with full lateral movement used to prepare medium sized billets
- 7 facilities with swing grinding operations
- Point source controls
 - 4 vented to a baghouse without HEPA filters
 - 1 vented to a baghouse with HEPA filters
 - 2 facilities operating without air pollution controls

25

Metal Grinding-Utility Grinders






- Designed for smaller casting and lighter metal removal
 - Typically have a slotting wheel on one end for reaching into deep, narrow recesses
- 9 facilities with utility grinding operations
- Point source controls
 - 2 vented to vacuum collection, lubricant or no baghouse
 - 1 vented to a cyclone
 - 4 vented to a baghouse without HEPA filters
 - 2 facilities operating without air pollution controls

Metal Grinding-Hand Grinders







- Handheld power tools used for preparing, cutting, grinding and polishing (finishing) smaller castings
- 17 facilities with hand grinding operations
- Point source controls
 - 2 vented to a cyclone
 - 3 vented to a baghouse without HEPA filters
 - 3 vented to a baghouse with HEPA filters
 - 9 facilities operating without air pollution controls

27

General Observations of Enclosures





- Greatest concern is for facilities that conduct grinding operations in the open air (four facilities)
- Fugitive emissions escape partial enclosures
- Most facilities conduct grinding operations within a building
 - Many enclosures have cross draft issues and openings at the roof top where fugitive emissions can escape
 - Some grinding operations conducted close to rollup doors
 - Maintenance of enclosures is needed to ensure fugitive emissions are contained

Enclosures for Grinding Operations

- Billet grinding
 - All billet grinding operations conducted within an enclosure
- Swing grinding
 - 4 facilities within an enclosure
 - 1 facility within a partial enclosure
 - 1 facility with no enclosure
- Utility grinding
 - 8 facilities within an enclosure
 - 1 facilities within a partial
- Hand grinding
 - 12 facilities within an enclosure
 - 1 facilities within a partial enclosure
 - 4 facility with no enclosure







20


General Observations of Housekeeping Provisions


- Concern for accumulation of metal particulate that can become airborne
- Housekeeping varied at each facility
 - Variation in cleaning method brooms to mobile vacuum sweepers
 - Variation in frequency
 - Variation in areas cleaned inside and/or outside
- Storage of grinding waste varied
 - · Open and closed containers
 - Accumulation of dust around storage area varied





Housekeeping and Maintenance





- 18 facilities conducting some level of housekeeping
- 3 facilities did not conduct any housekeeping measures
- 2 unknown
 - Most housekeeping measures focused on sweeping or vacuuming

3 1

Conclusions from Site Visits

- Grinding operations conducted in the open without an enclosure or pollution controls of greatest concern
- Partial enclosures do not contain fugitive emissions
- Most air pollution control devices are not permitted
 - Maintenance and operation of pollution control devices a concern
 - Concerned that many pollution control devices do not have proper collection efficiency

Concepts for Proposed Rule 1430

Purpose

- Reduce exposure to toxic metal particulate emissions resulting from metal grinding activities at forging operations
- Scope of PR 1430 may change based on information gained from continued investigation and monitoring of ambient levels near forging facilities

Applicability

- Includes facilities that press and grind metal parts for:
 - Aerospace and defense
 - Automobile industry
 - Oil field industry
 - Other industrial applications
- Potential metrics considered for applicability threshold:
 - · Volume of metal processed
 - Total operational hours for grinding
 - Amount of grinding equipment
- Metal cutting operations conducted with lubricants will not be included

35

Current Universe of Sources

- Staff initially identified 37 potential forging facilities by internet search and permit database
- Through site visits conducted, staff has confirmed 22 forging facilities
- Staff will continue to evaluate additional potential sources based on any new information acquired

Concepts for General Requirements of PR 1430


- Point Source Emission Control
- Emission Control Source Testing and Maintenance
- Enclosures
- Housekeeping Practices
- Monitoring, Recordkeeping, and Reporting
- Exemptions


Concepts for Point Source Emission Control Requirements

- Grinding operations will require SCAQMD permits
- In addition to PR 1430 point source requirements, permitted equipment will be subject to:
 - Rule 1401 Toxics New Source Review
 - Rule 1155 PM Control Devices
- Initial permitting exempt from Regulation XIII New Source Review
 - Modifications to equipment would be subject to Regulation XIII

Overview of SCAQMD Rules that Will Affect Permitted Grinding Equipment







30

Compliance Options for Point Source Requirements

- Considering two compliance options:
- Compliance Option 1:
 - Include key point source requirements of R1401 and R1155 in PR 1430; or
 - Establish requirements in PR1430 that would be at least, equivalent to R1401 and R1155
- Compliance Option 2:
 - Establish requirements for PR1430 and facilities must also comply with R1401 and 1155

Concepts for Point Source Emission Control Requirements

- Vent individual or series of grinding stations to an emissions control device
- Collection efficiency of pollutants to control device
 - Ventilation and hood system must meet minimum capture velocity standards per U.S. Industrial Ventilation Handbook
- Point source emission control considering two approaches
 - Technology-based approach
 - Emissions-based approach

4

Technology-Based Approach

- Establishes control efficiencies or emission limits based on specific pollution controls
- Can require varying levels of control technologies for grinding operations based on different criteria such as:
 - Type or size of equipment
 - Intensity of grinding operation
 - Best available controls
 - Proximity to sensitive receptors
- Varying control technologies may include HEPA filters/cartridges, baghouses, collection devices, etc.

Emissions-Based Approach

- Establish an emission rate standard that each individual control device is to meet
- Emissions-based approach can incorporate health risk parameters
- Emission rate can vary based on parameters similar to technology-based approach
- Facility determines the appropriate control device to achieve the emission standard

43

Concepts for Enclosure Requirements

- Require billet, swing, utility, and large hand grinding activities to be conducted inside a total enclosure to minimize process fugitive emissions
- Total enclosure requirements
 - Close all openings that may affect emission control devices (e.g., windows, bay doors)
 - Alternative methods may include installing plastic strip curtains or vestibules
 - Meet the industrial ventilation requirements
- Maintenance requirements to ensure enclosure is free of openings, gaps, cracks, etc.

Concepts for Housekeeping Requirements

- Periodic wet wash or vacuum sweep of all paved metal grinding area surfaces
 - Frequency can differ based on location (building interior/exterior)
- Pave surfaces of facility grounds near:
 - Metal grinding work station(s)
 - Metal waste storage areas capable of generating fugitive metal particulate emissions (for example, grinding or saw dust)

Concepts for Housekeeping Requirements (continued)

- Storage and transport requirements for all metal waste capable of generating any amount of fugitive metal particulate in sealed or leak proof containers
- Periodic wet wash or vacuum sweep w/HEPA equipped vacuums all grinding waste storage area surfaces

Source Testing Requirements

- Periodic source test of all emission control devices (Once every three years)
- Source tests conducted using test approved by the Executive Officer

47

Recordkeeping Requirements

- Housekeeping records for the following:
 - Interior and exterior wet or vacuum sweeping
 - Pressure measurements of add-on control devices
 - Process upsets
- Operations records for the following:
 - Throughput volume of forged metal
 - Volume of grinding operations
- Emission Control Maintenance and Monitoring Records

Potential Exemptions

- Low emitting grinding operations
 - · Grinding conducted with a coolant
 - For example, grinding units that apply a continuous stream of coolant to the grinding wheel while in operation
 - Small hand grinders
 - Grinders that are characterized by a small chuck, drum, or shank diameter, for example, "tootsie roll" grinders
 - · Grinders used for small forgings
 - For example, grinders used to grind small fasteners such as bolts or screws
 - · Facilities that contain minimal grinding
 - For example, less than "x" hours of grinding activity or generate less than "x" amount of grinding dust

Schedule

- Public Workshop January 2017
- Board Hearing March 2017

Staff Contact:

Eugene Kang (909) 396-3524 <u>ekang@aqmd.gov</u>

Dan Garcia (909) 396-3304 dgarcia@aqmd.gov